Grapelux LED

***MANUFACTURERS*: Major Led Lightings**

***DEALS IN:* -Raw Materials & Finished Products**

Grapelux LED

OEM TRUSTED WELCOME

INDEX

PARTICULARS	PAGE No.
LED HIGHBAY LIGHT	2
LED LOWBAY LIGHT	3
LED WETHERPROOF LIGHT	4
LED FLOOD - SLIM - FRAME TYPE	5
LED FLOOD - CLAMP TYPE - WH/WW/RED/BLUE/GREEN	6
LED FLOOD - BACK CHOKE	7
LED STREET LIGHT - GLASS MODEL	8
LED STREET LIGHT - FRAME TYPE	9
LED STREET LIGHT - LENS TYPE	10
LED ZOOM LIGHT - LED COB DOWN LIGHT	11
LED COB LIGHTS	12
LED INGROUND / UNDERWATER LIGHTS-WH/WW/RED/BLUE/GREEN	13
LED TUBE LIGHTS - IND. TUBE LIGHTS WITH REFLECTOR	14
LED TRACK SPOT LIGHT & TRACK CHANNELS	15

STANDARD TECHNICAL SPECIFIATIONS

VOLTAGE RANGE	SURGE PROTECTION	LED COLOUR TEMP.	COLOUR RENDERING INDEX	AVERAGE LIFE SPAN	DRIVER	HEAVY DUTY HOUSING
180-270 V AC-50Hz	Upto 6.5 kV	3000 K - WW 4000 K - NW 6500 K - WH	>80	20,000 hrs.	Branded or Integrated (Constant)	Alluminum or Iron Casting or Mouleded or combine

We use OSRAM SMD Led.

OEM TRUSTED WELCOME

Grapelux LED

100 Watts

Top Fitting arrangement

LED HIGHBAY LIGHT with Lens

APPLICATION

- High Roof area
- Industrial Production area
- Warehouse

IP	PF	Lumen
20	>0.9	120/Watt

WATTS	LUMENS	No. of LED	Reflector	Height	Heat Sink D x H mm x Qtr.
50 W	5,000 lm	50	450mm	380mm	90 x 180 x 1N
70 W	7,000 lm	70	450mm	380mm	90 x 180 x 1N
100 W	10,000 lm	100	500mm	400mm	90 x 180 x 2N
150 W	15,000 lm	150	500mm	400mm	90 x 180 x 3N
200 W	20,000 lm	200	500mm	400mm	90 x 180 x 4N

Grapelux LED

OEM TRUSTED WELCOME



LED LOWBAY LIGHT

APPLICATION

- ★ Low Roof area
- ★ Industrial area
- ★ Laboratory

IP	PF	Lumen
20	>0.9	120/Watt

WATTS	LUMEN	CLASSI-FICATION
50 W	5,000 lm	IP 20
70 W	7,000 lm	IP 20
100 W	10,000 lm	IP 20
150 W	15,000 lm	IP 20
200 W	20,000 lm	IP 20

Grapelux LED

OEM TRUSTED WELCOME

IP	PF	Lumen
65	>0.9	120/Watt

LED WEATHERPROOF WELL GLASS (Dome type)

WATTS	DIMENSION
36 W	Dia-170mm x H-150mm
50 W	Dia-170mm x H-150mm
72 W	Dia-220mm x H-200mm
80 W	Dia-220mm x H-200mm

LED LOWBAY/HIGHBAY/FLOOD WEATHERPROOF LIGHT

WATTS	DIMENSION
36 W	Dia-230mm x H-160mm
50 W	Dia-230mm x H-160mm
72 W	Dia-230mm x H-160mm

WATTS	DIMENSION
80 W	Dia-320mm x H-240mm
100 W	Dia-320mm x H-240mm
150 W	Dia-320mm x H-240mm

LED WEATHERPROOF TUBE LIGHT

ITEM	WATTS	TYPE	DIMENSION
1 x 20	20 W	Single	L-1200mm
2 x 20	40 W	Double	L-1200mm

OEM TRUSTED WELCOME

Grapelux LED

110 Watts

LED FLOOD-SLIM MODEL Frame Type

APPLICATION

- Garden
- Car Parking
- Outdoor Lighting

IP	PF	Lumen
65	>0.9	120/Watt

WATTS	LUMENS	No. of LED	DIMENSION L X B X H-mm
30 W	3,000 lm	30	185 x 182 x 65
50 W	5,000 lm	50	230 x 220 x 65
70 W	7,000 lm	70	285 x 275 x 70
90 W	9,000 lm	80	335 x 285 x 75
110 W	11,000 lm	100	335 x 285 x 75

Grapelux LED

OEM TRUSTED WELCOME

LED FLOOD
Clamp Type
W/H & W/W

APPLICATION

- Garden
- Car Parking
- Outdoor Lighting

IP	PF	Lumen
65	>0.9	120/Watt



LED Colour available:
WH / WW / RED / BLUE / GREEN

WATTS	LUMENS	DIMENSION L X B X H-mm
30 W	3,000 lm	185 x 158 x 55
50 W	5,000 lm	250 x 210 x 70
100 W	10,000 lm	305 x 290 x 86
150 W	15,000 lm	370 x 330 x 78
200 W	20,000 lm	370 x 330 x 78

Grapelux LED

OEM TRUSTED WELCOME

50 Watts

LED FLOOD LIGHT BACK CHOKE

APPLICATION

- Garden
- Car Parking
- Outdoor illumination

IP	PF	Lumen
20	>0.9	120/Watt

WATTS	LUMENS	No. of LED	DIMENSION L X B X H-mm
36 W	3,000 lm	30	210 x 150 x 110
50 W	5,000 lm	50	246 x 185 x 125
72 W	7,000 lm	70	295 x 235 x 130
100 W	10,000 lm	100/200	337 x 252 x 125
150 W	15,000 lm	150	390 x 300 x 135
200 W	20,000 lm	200	390 x 300 x 135
360 W	30,000 lm	360	500 x 340 x 140

OEM TRUSTED WELCOME

Grapelux LED

LED STREET LIGHT
Glass model



APPLICATION

- Street Lighting
- Parking area

IP	PF	Lumen
65	>0.9	120/Watt

WATTS	LUMENS	No. of LED	DIMENSION L X B X H-mm
18 W	1,800 lm	15	330 x 100 x 65
24 W Philips	2,400 lm	45	330 x 100 x 65
24 W	2,400 lm	50	330 x 100 x 65
28 W	2,500 lm	25	359 x 150 x 65
36 W	3,000 lm	30/36	359 x 150 x 65
50 W	5,000 lm	50	420 x 200 x 65
70 W	7,000 lm	70	440 x 210 x 65
90 W	9,000 lm	80	570 x 262 x 65
110 W	11,000 lm	100	570 x 262 x 65

Grapelux LED

OEM TRUSTED WELCOME

90 Watts

LED STREET LIGHT Frame Type

APPLICATION

- Street Lighting
- Parking Area

IP	PF	Lumen
65	>0.9	120/Watt

WATTS	LUMEN	No. of LED	DIMENSION L X B X H-mm
36 W	3,000 lm	30	350 x 135 x 70
70 W	7,000 lm	60/70	400 x 186 x 85
90 W	9,000 lm	80	465 x 226 x 85
120 W	12,000 lm	120	465 x 226 x 85
160 W	16,000 lm	165	530 x 262 x 70

Grapelux LED

OEM TRUSTED WELCOME

LED STREET
Lens Type

APPLICATION

- Street Lighting
- Parking area

IP	PF	Lumen
65	>0.9	120/Watt

WATTS	LUMENS	No. of LED	DIMENSION L X B X H-mm
20 W	2,400 lm	18	305 x 109 x 54
30 W	3,600 lm	32	355 x 130 x 55
50 W	6,000 lm	50	405 x 165 x 60

OEM TRUSTED WELCOME

Grapelux LED

LED ZOOM LIGHT

Recess Mounting - 30 Watts

IP	PF	Lumen
20	>0.9	120/Watt

Dimension mm: L 236 x B 146 x H 95
Cutout: 217 mm

SWIVEL MODE

LED COB DOWN LIGHTS

WATTS	LUMENS	ϕ Cutout	DIMENSION Dia X H-mm
3 W	300 lm	53	64 x 45
6 W	600 lm	72	90 x 64
9 W	900 lm	72	90 x 72
16 W	1,600 lm	85	114 x 80
24 W	2,400 lm	115	133 x 89
30 W	3,000 lm	140	160 x 110
50 W	5,000 lm	140	160 x 125

COLOUR TEMPRATURE

3000 K- WW
4000 K - NW
6500 K - WH

Grapelux LED

OEM TRUSTED WELCOME

SATIN NICKLE + BLACK

GOLDEN + BLACK

SHINY BLACK + BLACK

WHOLE BLACK

WHOLE WHITE

SATIN NICKLE + WHITE

ROSE GOLDEN + WHITE

GOLDEN + WHITE

LED COB LIGHTS

Led Source

- CREE LED / PHILIPS DRIVER

IP	PF	Lumen
20	>0.9	120/Watt

12 Watts

ROSE GOLDEN + BLACK

WATT	CREE-LED LUMENS	DIMENSION Dia X Height	Cutout mm
6 W	675 lm	62 x 58 mm	55
10 W	1,000 lm	75 x 64 mm	68
12 W	1,350 lm	85 x 76 mm	78

COLOUR TEMPRATURE

3000 K- WW
4000 K - NW
6500 K - WH

OEM TRUSTED WELCOME

Grapelux LED



LED INGROUND LIGHT

WATTS	1 W	3 W	3 W	6 W	9W	12 W	18 W	24 W
LED	1 led	1 led	3 led	3 led	6 led	6 led	9 led	9 led
Dia	45mm	45mm	86mm	86mm	120 mm	120 mm	140 mm	140 mm
Height	50mm	50mm	70mm	70mm	70mm	70mm	70mm	70mm

LED Colour available: WH / WW / RED / BLUE / GREEN / RGB- Multi Colour.

IP	IP	PF	Lumen
65	68	>0.9	120/Watt

LED UNDER WATER LIGHT

WATTS	1 W	3 W	3 W	6 W	9W	12 W	18 W	24 W
LED	1 led	1 led	3 led	3 led	6 led	6 led	9 led	9 led
Dia	38mm	38mm	76mm	76mm	101 mm	101 mm	126 mm	126 mm
Height	28mm	28mm	22mm	22mm	22mm	22mm	22mm	22mm



LED Colour available: WH / WW / RED / BLUE / GREEN / RGB- Multi Colour.

OEM TRUSTED WELCOME

Grapelux LED

IP	PF	Lumen
20	>0.9	120/Watt

LED TUBE LIGHTS





TYPE	HOUSING	WATTS
T5 WALL	ALLU	18 W
T8 WALL	ALLU	18 W
T8 RETRO	ALLU	18 W
T5 WALL	PC	18 W



LED Tubelight with Reflector for industries

ITEM	WATTS	TYPE	DIMENSION
1 x 20	20 W	Single	L-1175 mm x W-70mm x D-35mm
2 x 20	40 W	Double	L-1175 mm x W-100mm x D-35mm

Grapelux LED

OEM TRUSTED WELCOME

LED TRACK SPOT

10 W to 30 Watts

IP	PF	Lumen
20	>0.9	120/Watt

WATTS	Hongli/Ledteen COB LUMENS	CREE COB LUMENS
10 W	1,000 lm	1,200 lm
15 W	1,500 lm	1,800 lm
20 W	2,000 lm	2,400 lm
25 W	2,500 lm	3,000 lm
30 W	3,000 lm	3,600 lm

COLOUR TEMPRATURE
3000 K- WW
4000 K - NW
6500 K - WH





TRACK CHANNELS
Length 1 / 1.5 / 2.0 mtrs.

WE MAKE & SUPPLY FINISHED PRODUCTS

WE WEL-COME

OEM & CUSTOMISED LED PRODUCTS SUPPLY

FINISHED PRODUCTS

INDUSTRIAL LED LIGHTS

- ★ LED HIGH BAY LIGHTS
- ★ LED LOW BAY LIGHTS
- ★ INDUSTRIAL LED TUBE LIGHTS
- ★ LED STREET LIGHTS
- ★ LED FLOOD LIGHTS
- ★ LED FLAMEPROOF FITTINGS

COMMERCIAL LED LIGHTS

- ★ LED TRACK LIGHTS & CHANNELS
- ★ LED COB DOWN LIGHTS
- ★ LED ZOOM FITTINGS

OUTDOOR LED LIGHTS

- ★ UNDER WATER LED LIGHTS
- ★ IN-GROUND LED LIGHTS
- ★ WALL WASHERS - LED HIGH LIGHTERS
- ★ LED BOLLARDS / STREET LIGHT POLES

RAW MATERIALS

- ★ HIGHBAY LIGHT HOUSING
- ★ LOWBAY LIGHT HOUSING
- ★ STREET LIGHT HOUSING
- ★ FLOOD LIGHT HOUSING
- ★ TRACK LIGHTS & CHANNELS
- ★ OUTDOOR LIGHT HOUSING
- ★ UNDER WATER LED LIGHTS
- ★ LED TUBE LIGHT HOUSING
- ★ McPcb FOR LED TUBE
- ★ SMPS POWER SUPPLY

- ★ WE ALSO SUPPLY LED LIGHTS WITH PHILIPS DRIVER
- ★ OUR SOURCE OF LED: OSRAM - LEXSTAR - CREE - EDISON - HONGLI

Grapelux
LIGHTING LLP.

1 & 2, 1st Floor, Valedain Plaza, Silvasa Road, Imran Nagar, Vapi - 396 195, Dist.: Valsad, Gujarat, INDIA
260-2401023 Cell: 9824111023 grapeluxlightingllp@gmail.com

All products and Reference images are for Representation,
We reserve our rights to change
Product shapes or design without Notice or as per market trend.